

ANNUAL  
**WATER REPORT**

*Water testing  
performed in 2010*

QUALITY



*Presented By* \_\_\_\_\_  
City of Mission

## Quality First Quality



Once again we are proud to present our annual water quality report covering all testing performed between January 1 and December 31, 2010. As in years past, we are committed to delivering the best-quality drinking water possible. To that end, we remain vigilant in meeting the challenges of new regulations, source water protection, water conservation, and community outreach and education while continuing to serve the needs of all of our water users. Thank you for allowing us to continue providing you and your family with quality drinking water.

We encourage you to share your thoughts with us on the information contained in this report. Should you ever have any questions or concerns, we are always available to assist you.

## Important Health Information

You may be more vulnerable than the general population to certain microbial contaminants, such as *Cryptosporidium*, in drinking water. Infants, some elderly, or immunocompromised persons such as those undergoing chemotherapy for cancer; those who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders can be particularly at risk from infections.

You should seek advice about drinking water from your physician or health care provider. Additional guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* are available from the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.



## Water Conservation and Drought Contingency Plan

The City of Mission implemented a Water Conservation and Drought Contingency Plan to manage and provide an adequate water supply to meet the future needs of our customers. The purpose of this document is to establish procedures to identify, classify, and manage an effective and efficient water supply during high demand or a water storage emergency. Excessive demand on the water treatment plants and/or continually falling treated water reservoir levels which do not refill overnight to a specific level will trigger four (4) stages of the water conservation plan. These stages range from Stage 1 (voluntary stage) to Stage 5 (water rationing). Utility customers in the City of Mission are in a voluntary water conservation Stage 1 at this time and are encouraged to limit their daily water usage by using good management pro-actives of water conservation. Utility customers will be notified prior to a stage level change: at such time, customers may incur a surcharge fee based on the customer's water usage history for stages 3, 4, and 5. Fines that may exceed \$400 may be imposed for any violations of any stage of the water conservation plan, and depending on the severity of the water violation, the water service may be terminated.

### Community Participation

You are invited to participate in our public forum and voice your concerns about your drinking water. We will meet Tuesday, August 9, 2011, at 6:00 p.m. at the Public Works Building, located at 2801 North Holland.

### Where Does My Water Come From?

The City of Mission, Water Systems, consists of two water treatment plants: the South Water Treatment Plant (8.0 mgd) and the North Water Treatment Plant (11.5 mgd). Our raw water source is the Rio Grande River and the raw water is delivered from the river to the reservoirs via irrigation canals. Combined, our water treatment facilities can treat and purify 19.5 million gallons per day of clean drinking water.

### Contact Us

For more information about this report, or for any questions relating to your drinking water, please call Miguel (Mike) Garcia, Water Treatment Plant Supervisor, at (956) 580-8780.

### Water Treatment Process

The treatment process consists of a series of steps. First, raw water is drawn from our water source and sent to the reservoir where copper sulfate (algae control) is added. Gravity then causes the raw water to flow to the water pump intake where we add powdered activated carbon (taste and odor control), then the water is pumped to the water treatment plant. The water then goes to a rapid mixer where aluminum sulfate and polymer are added. Chlorine dioxide is added for disinfection. The addition of these substances causes small particles to adhere to one another (called floc), making them heavy enough to settle into a basin from which sediment is removed. At this point, the water is filtered through layers of anthracite coal and sand. As smaller, suspended particles are removed, turbidity disappears and clear water emerges. Chlorine and ammonium sulfate are added as a precaution against any bacteria that may still be present. (We carefully monitor the amount of chlorine added, adding the smallest quantity necessary to protect the safety of your water without compromising aesthetics). Finally, polyphosphate, a corrosion inhibitor (added to protect distribution system pipes) is added before the water is pumped to sanitized underground reservoirs, water towers, and into your home or business.

## Lead and Drinking Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Mission is responsible for providing high-quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).

## Substances That Could Be in Water

To ensure that tap water is safe to drink, the U.S. EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it can acquire naturally occurring minerals, in some cases, radioactive material, and substances resulting from the presence of animals or from human activity. Substances that may be present in source water include:

**Microbial Contaminants**, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife;

**Inorganic Contaminants**, such as salts and metals, which can be naturally occurring or may result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming;

**Pesticides and Herbicides**, which may come from a variety of sources, such as agriculture, urban storm water runoff, and residential uses;

**Organic Chemical Contaminants**, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and which may also come from gas stations, urban storm water runoff, and septic systems;

**Radioactive Contaminants**, which can be naturally occurring or may be the result of oil and gas production and mining activities.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact our business office. For more information about contaminants and potential health effects, call the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.

## Storm Water Management: Tips to Prevent Storm Water Pollution

1. Remember to turn off your sprinklers when it rains to avoid water runoff; during winter, runoff can freeze, causing slippery conditions.
2. Bag your pet's waste – don't just leave it there. Leaving pet waste on the ground increases public health risks by allowing harmful bacteria and nutrients to wash into the storm drain and eventually into local water bodies.
3. Don't apply pesticides, fertilizers, and herbicides before it rains. Contrary to popular belief, the rain won't help to soak these chemicals into the ground; it will only help create polluted runoff that will flow into our local creeks.
4. Select native and adapted plants and grasses that are drought and pest resistant. Native plants require less water, fertilizers, and pesticides. Learn more about native and adapted plants at [www.txsmartscape.com](http://www.txsmartscape.com).
5. Reduce the amount of paved area and increase the amount of vegetated area in your yard.
6. If you change your car's oil, don't dump it on the ground or in the storm drain; dispose of it properly at an oil-recycling center.
7. Check your car, boat, or motorcycle for leaks. Clean up spilled fluids with an absorbent material; don't rinse the spills into the storm drain.
8. Don't get rid of grass clippings and other yard waste by dumping it or sweeping it into the storm drain; this will cause depleted oxygen for aquatic life. Instead compost your yard waste.
9. When washing your car at home, wash with only water or use biodegradable soap and wash it on a lawn or other unpaved surface; better yet, take your car to a professional car wash.
10. Don't get rid of old or unused paint by throwing it down the storm drain; dispose of paint and other household hazardous waste at recycling facilities.
11. Don't pump your pool water into the storm drain; pool chemicals can be hazardous to our creeks' habitats. Whenever possible, drain your pool into the sanitary sewer system where it can be treated.
12. Don't mess with Texas! Throw litter away in a garbage can, not out your window. Recycle what you can!



## Why do I get this report each year?

Community water system operators are required by federal law to provide their customers with an annual water quality report. The report helps people make informed choices about the water they drink. It lets people know what contaminants, if any, are in their drinking water and how these contaminants may affect their health. It also gives the system operators a chance to tell customers what it takes to deliver safe drinking water.

## Why does my water sometimes look “milky”?

The “milky” look is caused by tiny air bubbles in the water. The water in the pipes coming into your home or business might be under a bit of pressure, and gasses (the air) are dissolved and trapped in the pressurized water as it flows into your glass. As the air bubbles rise in the glass, they break free at the surface, thus clearing up the water. Although the milky appearance might be disconcerting, the air bubbles won’t affect the quality or taste of the water.

## How can I keep my pet’s water bowl germ free?

Veterinarians generally recommend that water bowls be washed daily with warm, soapy water—normally when you change the water. Scour the corners, nooks, and crannies of the water dish using a small scrub brush. In addition, once a week put water bowls into the dishwasher to sanitize them with hot water. In most situations, disinfectants like bleach are not needed; warm, soapy water is all you need to keep your pet’s water clean and safe.

## How much water is used during a typical shower?

The Federal Energy Policy Act set a nationwide regulation that limits showerheads to a maximum flow of 2.5 gallons per minute (GPM). Showerheads made before 1980 are rated at 5 GPM. Since the average shower is estimated to last 8.2 minutes, the old showerheads use 41 gallons of water while the newer, low-flow showerheads use only about 21 gallons.

## Is it okay to use hot water from the tap for cooking and drinking?

No, always use cold water. Hot water is more likely to contain rust, copper, and lead from household plumbing and water heaters. These substances can dissolve into hot water faster than they do into cold water, especially when the faucet has not been used for an extended period of time.

## How many contaminants are regulated in drinking water?

The U.S. EPA regulates over 80 contaminants in drinking water. Some states may choose to regulate additional contaminants or to set stricter standards, but all states must have standards at least as stringent as the U.S. EPA’s.

## Sampling Results

During the past year, we have taken hundreds of water samples in order to determine the presence of any radioactive, biological, inorganic, volatile organic, or synthetic organic contaminants. The table below shows only those contaminants that were detected in the water. The state requires us to monitor for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

### REGULATED SUBSTANCES

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	MCL [MRDL]	MCLG [MRDLG]	AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE
Barium (ppm)	2008	2	2	0.0914	0.0914–0.0914	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Beta/Photon Emitters <sup>1</sup> (pCi/L)	2008	50	0	5.1	5.1–5.1	No	Decay of natural and man-made deposits.
Chromium (ppb)	2008	100	100	2.75	2.75–2.75	No	Discharge from steel and pulp mills; Erosion of natural deposits.
Fluoride (ppm)	2010	4.0	4.0	0.48	0.39–0.48	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Haloacetic Acids [HAA] (ppb)	2010	60	NA	23.0	15.4–34.0	No	By-product of drinking water chlorination.
Nitrate (ppm)	2010	10	10	0.40	0.32–0.40	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
Selenium (ppb)	2010	50	50	5.98	5.98–5.98	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines.
TTHMs [Total Trihalomethanes] (ppb)	2010	80	NA	43.0	18.1–74.2	No	By-product of drinking water chlorination.
Turbidity <sup>2</sup> (NTU)	2010	TT	NA	0.28	0.03–0.28	No	Soil runoff.
Turbidity (Lowest monthly percent of samples meeting limit)	2010	TT=95% of samples<0.3	NA	100%	NA	No	Soil runoff.

### Tap water samples were collected for lead and copper analyses from sample sites throughout the community

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AL	MCLG	AMOUNT DETECTED (90TH% TILE)	SITES ABOVE AL/ TOTAL SITES	VIOLATION	TYPICAL SOURCE
Copper (ppm)	2010	1.3	1.3	0.071	0/30	No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives.
Lead (ppb)	2010	15	15	8.3	0/30	No	Corrosion of household plumbing systems; Erosion of natural deposits.

<sup>1</sup>The MCL for beta particles is 4 mrem/year. The U.S. EPA considers 50 pCi/L to be the level of concern for beta particles.

<sup>2</sup>Turbidity is a measure of the cloudiness of the water. It is monitored because it is a good indicator of the effectiveness of the filtration system.

## Definitions

**AL (Action Level):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**MCL (Maximum Contaminant Level):** The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**MCLG (Maximum Contaminant Level Goal):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**MRDL (Maximum Residual Disinfectant Level):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**MRDLG (Maximum Residual Disinfectant Level Goal):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**NA:** Not applicable.

**NTU (Nephelometric Turbidity Units):** Measurement of the clarity, or turbidity, of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

**pCi/L (picocuries per liter):** A measure of radioactivity.

**ppb (parts per billion):** One part substance per billion parts water (or micrograms per liter).

**ppm (parts per million):** One part substance per million parts water (or milligrams per liter).

**TT (Treatment Technique):** A required process intended to reduce the level of a contaminant in drinking water.